

BUILDING PLANNER
ASHOK JAMDAR

R.C.C. CONSULTANT PRASSANA BHORE

LEGAL ADVISOR MUKUND ODHEKAR



SITE ADDRESS

S.no.333, Plot no 4+5, Dnyaneshwar Nagar, Opp. EKA, Indira Nagar Annex, Pathardi, Nashik, Maharashtra.

MEMBER OF CREDAÎ

Follow us on Social Media
Web | www.yogeshwarrealty.com, www.yogeshwargroup.net
Email | contact@yogeshwarrealty.com

BOOKING CONTACT

+91.9960964567, +91.7385333335



Signature Style Homes

1 & 2 BHK LUXURIOUS RESIDENCES & COMMERCIAL SHOPS

RERA NO - ----

INTERNAL AMENITIES

✓ Living

Pop Modeling Work In Ceiling

2' X 2' Vitrified Joints Free Flooring In All Rooms.

✓ Bedrooms

2' X 2' Vitrified Tiles

✓ Kitchen

Granite Kitchen Platform With Stainless Steel Sink And 7 Feet Tile.

✓ Door

Doors Will Be Designer Laminated And Quality Fitting, Main Door frames Are Plywood And Toilet Door Frames Of Marble.

Bedrooms And Balcony Are Of Good Quality R.C.C. Frame.

✓ Window

Window Frame Will Be Of Granite, Powder Coated Section Aluminum Sliding Three Track Windows.

M.S. Grill Work On Windows For Safety.

✓ Electric Work

Concealed Electrication With ISI Mark Material With Adequate Light Point. Tv Ceble Points In Living.

✓ Plumbing

Concealed Plumbing Fitting

Overheads Underground Water Tank With Plumbing Arrangement.

Electrical & Plumbing Point For Water And Washing Machine.

✓ Bathroom

In All W.C. Upto 5' Height Glazed Tiles Dado & In All Bathroom Upto 7' Height Glazed Tiles.
Indian Type W.C. In Common Bath & Western Type In Attach Bath With Flushing System.
Hot & Cold Water Mixer Valve In All Bath With Good Quality Fitting.

✓ Waterproofing

Water Proof Treatment In Terrace, Toilets & Building Roof In Brick Bat Coba.

✓ Painting

Exterior : Maintenance Free Acrylic Paint.

Interior: Pleasant Shades In Emulsion Paint.

✓ Parking

Common parking

✓ Lift

Lift With Battery Backup System.


EXTERNAL AMENITIES

- ✓ Vastu Based Designs.
- ✓ Lift With Battery Backup.
- ✓ Quality
- ✓ R.C.C. Constructions
- ✓ Good Quality R.C.C. Construction
- ✓ Bricks Work
- ✓ External Wall 6" & Internal Wall 4" Thick Brickwork.
- ✓ Inner Side Cement Plaster With Putty Finish And Outer Side Double Coated Cement Sponge Finishing.









THE RESERVE TO SERVE OF







GROUND FLOOR PLAN





FIRST FLOOR PLAN





